
thecut-emailfield Documentation

Release 1.0.2

The Cut Creative

August 16, 2016

1	thecut-emailfield	3
1.1	Documentation	3
1.2	Quickstart	3
1.3	Credits	3
2	Installation instructions	5
3	Usage	7
3.1	Validating a model field	7
3.2	Validating a form field	7
4	API Reference	9
5	Testing	11
5.1	Running unit tests	11
5.2	Available tests	12
6	History	13
6.1	1.0.2 (2016-08-16)	13
6.2	1.0.1 (2016-08-16)	13
6.3	1.0 (2016-08-16)	13
6.4	0.4 (2016-06-28)	13
6.5	0.3 (2016-06-28)	13
6.6	0.2.4 (2016-03-11)	14
6.7	0.2.3 (2015-11-23)	14
6.8	0.2.2 (2015-11-23)	14
6.9	0.2.1 (2015-01-13)	14
6.10	0.2 (2014-09-18)	14
6.11	0.1 (2014-06-17)	14
7	Credits	15

Contents:

thecut-emailfield

A Django email field which validates by checking for an MX record on the domain.

1.1 Documentation

The full documentation is at <https://thecut-emailfield.readthedocs.org>.

1.2 Quickstart

Install `thecut-emailfield` using the installation instructions found in the project documentation.

An example `models.py`:

```
# -*- coding: utf-8 -*-
from __future__ import absolute_import, unicode_literals
from django.db import models
from thecut.emailfield.models import EmailField

class EmailModel(models.Model):

    email = EmailField()
```

An example `forms.py`:

```
# -*- coding: utf-8 -*-
from __future__ import absolute_import, unicode_literals
from django import forms
from thecut.emailfield.forms import EmailField

class EmailForm(forms.Form):

    email = EmailField()
```

1.3 Credits

See `AUTHORS.rst`.

Installation instructions

1. Install via pip / pypi:

```
$ pip install thecut-emailfield
```

2. Add to your project's INSTALLED_APPS setting:

```
INSTALLED_APPS = [  
    # ...  
    'thecut.emailfield'  
    # ...  
]
```

3. Sync your project's migrations:

```
$ python manage.py migrate emailfield
```

Usage

3.1 Validating a model field

You can use `thecut-emailfield` to validate email addresses on a model by using *EmailField*.

An example `models.py`:

```
# -*- coding: utf-8 -*-
from __future__ import absolute_import, unicode_literals
from django.db import models
from thecut.emailfield.models import EmailField

class EmailModel(models.Model):

    email = EmailField()
```

3.2 Validating a form field

You can use `thecut-emailfield` to validate email addresses on a form by using *EmailField*.

An example `forms.py`:

```
# -*- coding: utf-8 -*-
from __future__ import absolute_import, unicode_literals
from django import forms
from thecut.emailfield.forms import EmailField

class EmailForm(forms.Form):

    email = EmailField()
```

API Reference

class thecut.emailfield.models.**EmailField**(*args, **kwargs)

An email address model field that performs MX record validation.

class thecut.emailfield.forms.**EmailField**(*max_length=None*, *min_length=None*, *args, **kwargs)

An email address model field that performs MX record validation.

Testing

5.1 Running unit tests

5.1.1 Using your system's Python / Django

You can perform basic testing against your system's Python / Django.

1. Install the test suite requirements:

```
$ pip install -r requirements-test.txt
```

2. Ensure a version of Django is installed:

```
$ pip install Django
```

3. Run the test runner:

```
$ python runtests.py
```

5.1.2 Using a virtualenv

You can use `virtualenv` to test without polluting your system's Python environment.

1. Install `virtualenv`:

```
$ pip install virtualenv
```

2. Create and activate a `virtualenv`:

```
$ cd thecut-emailfield
$ virtualenv .
$ source bin/activate
(thecut-emailfield) $
```

3. Follow 'Using your system's Python / Django' above.

5.1.3 Using `tox`

You can use `tox` to automatically test the application on a number of different Python and Django versions.

1. Install `tox`:

```
$ pip install -r requirements-test.txt
```

2. Run tox:

```
(thecut-emailfield) $ tox --recreate
```

Tox assumes that a number of different Python versions are available on your system. If you do not have all required versions of Python installed on your system, running the tests will fail. See `tox.ini` for a list of Python versions that are used during testing.

5.1.4 Test coverage

The included `tox` configuration automatically detects test code coverage with `coverage`:

```
$ coverage report
```

5.2 Available tests

5.2.1 Forms

class `thecut.emailfield.tests.test_forms.TestEmailFormField` (*methodName='runTest'*)
Tests for the `thecut.emailfield.models.EmailField` model field.

test_accepts_domain_with_mx_record (**args, **kwargs*)
Accept email address for a domain with an MX record.

test_rejects_domain_without_mx_record (**args, **kwargs*)
Reject email address for a domain without an MX record.

5.2.2 Models

class `thecut.emailfield.tests.test_models.TestEmailModelField` (*methodName='runTest'*)
Tests for the `thecut.emailfield.models.EmailField` model field.

test_accepts_domain_with_mx_record (**args, **kwargs*)
Accept email address for a domain with an MX record.

test_rejects_domain_without_mx_record (**args, **kwargs*)
Reject email address for a domain without an MX record.

History

6.1 1.0.2 (2016-08-16)

- Documentation bug fixes.

6.2 1.0.1 (2016-08-16)

- Documentation bug fixes.

6.3 1.0 (2016-08-16)

- Testing improvements
- Documentation improvements.

6.4 0.4 (2016-06-28)

- Redesigned testing environment.
- Added basic documentation.

6.5 0.3 (2016-06-28)

- Stop automated testing for Django 1.5 and Django 1.6.
- Improved code coverage exception list.
- Improved code coverage reporting with Travis.
- Removed pre-Django 1.5 email validation code.

6.6 0.2.4 (2016-03-11)

- Configured code coverage exceptions.
- Unicode packaging fix (`version.py`).

6.7 0.2.3 (2015-11-23)

- Configured continuous integration via Travis.
- Configured code coverage tracking via codecov.

6.8 0.2.2 (2015-11-23)

- Added unit tests.
- Added basic unit test environment (with `tox`).
- Accounted for `dnspython` incompatibility with Python 3.

6.9 0.2.1 (2015-01-13)

- Added `LICENSE`, `README`.etc

6.10 0.2 (2014-09-18)

- Added Python 3 packing support.
- Added extra validation of email addresses in Django 1.4

6.11 0.1 (2014-06-17)

- First release.

Credits

- Josh Crompton <josh.crompton@thecut.net.au>
- Matt Austin <matt.austin@thecut.net.au>
- Kye Russell <kye.russell@thecut.net.au>

E

EmailField (class in `thecut.emailfield.forms`), [9](#)

EmailField (class in `thecut.emailfield.models`), [9](#)

T

`test_accepts_domain_with_mx_record()` (the-
`cut.emailfield.tests.test_forms.TestEmailFormField`
method), [12](#)

`test_accepts_domain_with_mx_record()` (the-
`cut.emailfield.tests.test_models.TestEmailModelField`
method), [12](#)

`test_rejects_domain_without_mx_record()` (the-
`cut.emailfield.tests.test_forms.TestEmailFormField`
method), [12](#)

`test_rejects_domain_without_mx_record()` (the-
`cut.emailfield.tests.test_models.TestEmailModelField`
method), [12](#)

`TestEmailFormField` (class in the-
`cut.emailfield.tests.test_forms`), [12](#)

`TestEmailModelField` (class in the-
`cut.emailfield.tests.test_models`), [12](#)